

2015 Catalog

International
Precision Products
LLC.

www.IPrePro.com

www.InternationalPrecisionProducts.com

PREMIUM SAFETY WEAR



International Precision Products, LLC is pleased to offer this collection of the finest, most dependable, safety footwear to be found worldwide. Whether needing a rugged boot for the farm or a comfortable antibacterial shoe for the food processing floor, we have the right shoes at unbeatable prices! Visit our website www.iprepro.com to view our full selection of safety footwear, and while you're there check out our GLOVETAPE, metal mesh and cut resistant gloves, mesh aprons, and nitrile/PU products.

We've got you covered!

All prices subject to change and based on meeting minimum order requirements.

**International Precision Products, LLC
361.239.0945 • info@IPrePro.com**

International Precision Products

For over 30 years Panther and Aboutblu Footwear - proudly made in Italy - have been providing safety boots that excel in design, quality, reliability and unbeatable comfort. The Panther and Aboutblu brands have been leaders in their industry segments with over 100,000,000 pairs sold throughout Europe and Asia.

For the first time ever, the Panther and Aboutblu brand will be available to hardworking men and women in the United States, Canada, Mexico and South America. IPP is proud to be the first to offer these amazing work boots and shoes to everyone in North and South America.

A sample of the construction details that go into each one of Panther and Aboutblu's safety footwear:




1. Padded collar for more comfortable walking experience.
2. Anti-wear, breathable lining.
3. Breathable, waterproof fabric inserts.
4. Pleated padded tongue; no infiltration from solid materials.
5. Single yarned stitching; much stronger than triple yarn.
6. Rustproof metal free/metallic accessories.
7. Anti-wear, breathable, padded toe lining.
8. Powercap (multilayers of fiberglass and rubber composite) or steel toe cap.
9. Anti-wear scuff cap.
10. Composite or steel midsole.
11. Compact polyurethane or rubber outsole (resistant up to 300 Celsius/570 degrees Fahrenheit).
12. Expanded polyurethane midsole with shock absorption in the heel area.
13. Compo shank (gives sole greater stability and a correct flex point to the outsole).
14. Anti-static, antibacterial, anatomic, moisture wicking, removable insole (with shock absorber).
15. Heel counter for better stability.
16. S.S.D. (cotton fabric with silver threads to achieve better anti-static performance).

FOOD PROCESSING ENVIRONMENTS

Q.A. • R&D Labs • Plants • Kitchens

Hygienic environments are crucial when working in the food industry. The uncomplicated rivets, sober lines and simple cuts of our Aboutblu selections, allows the wearer to quickly wipe away debris. The Air Bience antibacterial (Sandoz sanitized) removable insole blocks creation and growth of bacteria. A dual density polyurethane outsole helps avoid slips and falls in any aseptic workplace. The superior comfort and quality of these Italian made safety footwear makes them an obvious choice for the worker whose job requires long periods of standing.

The following shoes are S2 UNI EN ISO 20345:2012
ISO 9001 and SRC Certified.



ITALIA

19267 00-A



ITALIA BLACK

19267 02-A



\$59.99

S2 UNI EN ISO 20345:2012

Upper: Breathable water-repellent microfibre
Lining: Antibacterial
Insole: AIR BIENCE
Sole: PU/Dual density
Toe cap: POWER CAP Compo (200J)
Midsole: -
Size: 4-14(Men)/ 5 and up (Women)
Weight: 0.99 lbs

VILLACH

25021 02-A



\$62.49

S2 UNI EN ISO 20345:2012

Upper: Breathable water-repellent microfibre
Lining: Antibacterial
Insole: AIR BIENCE
Sole: PU/Dual density
Toe cap: Steel (200J)
Midsole: -
Size: 5-14(Men)/ 6 and up (Women)
Weight: 1.10 lbs

LUCERNA

25026 00-A



\$59.99

S2 UNI EN ISO 20345:2012

Upper: Breathable water-repellent microfibre
Lining: Antibacterial
Insole: AIR BIENCE
Sole: PU/Dual density
Toe cap: Steel (200J)
Midsole: -
Size: 4-14(Men)/ 5 and up (Women)
Weight: 0.99 lbs

ST. MORITZ

25027 00-A



\$69.99

S2 UNI EN ISO 20345:2012

Upper: Breathable water-repellent microfibre
Lining: Antibacterial
Insole: AIR BIENCE
Sole: PU/Dual density
Toe cap: Steel (200J)
Midsole: -
Size: 5-14(Men)/ 6 and up (Women)
Weight: 1.10 lbs

VIENNE

25048 00-A



\$64.99


S2 UNI EN ISO 20345:2012

Upper: Breathable water-repellent microfibre
Lining: Antibacterial
Insole: AIR BIENCE
Sole: PU/Dual density
Toe cap: Steel (200J)
Midsole: -
Size: 5-14(Men)/ 6 and up (Women)
Weight: 1.12 lbs

MULTI PURPOSE SAFETY FOOTWEAR

Whether indoor or outdoor, our safety footwear is equipped for electricians, plumbers, factory workers, mechanics as well as other professional industries. Our solutions lie in our highly comfortable and extremely practical collection made of the finest leathers, waterproof components or breathable materials. Removable insoles are available which minimize aches and pains in the neck and back. Lighter than ever before, Aboutblu has developed POWER CAP an ultra light multilayer fiberglass and rubber particulate toe cap which protects from falling objects while decreasing work fatigue. Slips account for the largest percentage of work related accidents, 90% being on wet or uneven surfaces. All our shoes are tested and certified and carry the following designations.

The following shoes are S3 UNI EN ISO 20345:2012
ISO 9001 and SRC Certified.



T-LIGHT**\$99.99**

19261 03LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.12 lbs

T-LIGHT**\$99.99**

19261 05LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.12 lbs

V-LIGHT**\$102.99**

19260 03LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.21 lbs

V-LIGHT**\$102.99**

19260 05LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.21 lbs

TROPEA**\$79.99**

25116 36LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.3 lbs

VIBO**\$84.99**

25138 11LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.36 lbs

T-LIGHT**\$104.99**

19261 12LA



S3 UNI EN ISO 20345:2012
 Upper: Grain leather - water-repellent
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbent FUSSTATIC
 Sole: PU/Dual density
 Toe cap: POWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 5-14 (Men)/ 6 and up (Women)
 Weight: 1.16 lbs

FARMING & HEAVY INDUSTRY

Aboutblu has answered the demands of workers who battle extremely long work hours by introducing an anti-slip rubber outsole matched with superior ankle support, providing the wearer with anti-fatigue benefits, maximum comfort and reliable safety – no matter how challenging the work task.

The following shoes are S3 HRO UNI EN ISO 20345:2012
ISO 9001 Certified and SRC Certified



RANGER

25042 00LA

\$149.99

S3 UNI EN ISO 20345:2012

Upper: Full grain leather
water-repellent
Lining: Grain leather
Insole: Thermoformed, removable,
antibacterial, absorbent FUSSTATIC
Sole: PU/Dual density
Toe cap: Steel (200J)
Midsole: Steel
Size: 5-14 (Mens)/ 6 and up (Women)
Weight: 1.74 lbs



ALPINE MID

30167 06LA

\$139.99

S3 HRO UNI EN ISO 20345:2012

Upper: Full grain leather
water-repellent
Lining: Padded, nonwoven fabric
Insole: Thermoformed, removable,
antibacterial, absorbent FUSSTATIC
Sole: PU/RUBBER
Toe cap: POWER CAP Compo (200J)
Midsole: Composite TEXON Enigma
Zero HT2
Size: 6-14 (Mens)/ 7.5 and up (Women)
Weight: 1.65 lbs



MONZA

30054 07LA

\$139.99

S3 HRO EN ISO 20345:2004/A1:2007

Upper: Full grain leather
water-repellent
Lining: Padded, nonwoven fabric
Insole: Thermoformed, removable,
antibacterial, absorbent FUSSTATIC
Sole: PU/RUBBER
Toe cap: POWER CAP Compo (200J)
Midsole: Composite TEXON Enigma
Zero HT2
Size: 6-14 (Mens)/ 7.5 and up (Women)
Weight: 1.70 lbs



HARMATTAN

30171 00LA

\$147.49

S3 HRO WR UNI EN ISO 20345:2012

Upper: Full grain leather with
waterproof membrane
Lining: PLASMAFEEL
Insole: Thermoformed, removable,
antibacterial, absorbent FUSSTATIC
Sole: PU/RUBBER
Toe cap: POWER CAP Compo (200J)
Midsole: Composite TEXON Enigma
Zero HT2
Size: 6-14 (Mens)/ 7.5 and up (Women)
Weight: 1.65 lbs



HIGHLANDER COLLECTION BY PANTHER

Production Plants • Engineering • Cold Environments
Heavy Industry • Building & Construction

A wonderful collection of safety footwear that proves that innovation and safety can be amazingly stylish.

The R&D designers at Aboutblu/Panther incorporated over 30 years of footwear innovations into the Highlander Collection and then added a revolutionary “*Foot Conformation Last*” feature. This new foot conformation feature adds even more comfort to the wearer through its extra foot shaping (memory foam) properties.

Thoughtful Italian design makes long workdays just a little bit easier!

Special features in the Highlander Collection include:

- No marking sole.
- Power Cap toe that is lighter than a traditional steel toe.
- Special Shield System Stabilizer heel with graduated thickness for greater comfort.
- Upper that is a single piece of leather/high-tech fabric that is water-repellent (single piece technology offers no stitching, no abrasion, wear resistant and footwear that will keep its shape day after day).
- Highest anti-slip properties.

This is a safety work boot that must be tried on to truly appreciate.

Footwear is S3 HRO UNI EN ISO 20345:201
ISO 9001 and SRC Certified.

GIOTTO VERTIGO MID


\$139.99

S3 HRO UNI EN ISO 20345:2012

32278 00LA



Upper: water-repellent.
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbant FUSSTATIC
 Sole: PU/RUBBER
 Toe cap: PPOWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 6-14 (Mens) / 7.5 and up (Women)
 Weight: 1.63 lbs



CARAVAGGIO MID

\$129.99

S3 HRO UNI EN ISO 20345:2012

32275 00LA



Upper: water-repellent.
 Lining: PLASMAFEEL
 Insole: Thermoformed, removable, antibacterial, absorbant FUSSTATIC
 Sole: PU/RUBBER
 Toe cap: PPOWER CAP Compo (200J)
 Midsole: Composite TEXON Enigma Zero HT2
 Size: 6-14 (Mens) / 7.5 and up (Women)
 Weight: 1.5 lbs




WATERPROOF COLLECTION

Nitrile • PU • PVC Boots

After months of searching high and low - across the globe - for the lightest, most flexible, and the highest safety rated, waterproof boots and shoes - we are pleased to offer this collection at unbeatable prices. All shoes are SRC rated, anti-slip, extra wide, steel toe cap for comfort and resistant to hydrocarbons. More detailed product specifications are available on our website www.IPrePro.com.

The following shoes are EN ISO 20345:2011 SRC Certified.



NITRIL+

\$34.99

EN ISO 20345:2011 S4 SRC

Upper: PVC with high percentage of nitrile rubber



THE BUILDER

\$34.99

EN ISO 20345:2011 S5 SRC

Upper: PVC mix high percentage of Nitril Rubber



STOP RAIN

\$34.99

EN ISO 20345:2011 SRC

Upper: Synthetic PVC Phthalate Free
Lining: PVC Phthalate Free mixed high % of Nitril Rubber



TORNADO

\$49.99

EN ISO 20345:2011 S4

Upper: PU
Liner: Nylon
Sole: PU



XS 02

\$74.99

EN ISO 20345:2011 CI SRC

Upper: PU
Lining: Warm Lining
Sole: TPU + Rubber



International Precision Products

GLOVETAPE - adjust your glove and boost your production!



GLOVETAPE - Glove Tighteners Made in Germany

GLOVETAPE can be used with metal mesh, Kevlar, cloth and other industrial safety gloves.

Secure over your work glove to tighten up poor fitting gloves.

- Proven to reduce or eliminate the sagging glove at the fingertips.
- A formfitting glove is a safer glove - especially when working with knives.
- A formfitting glove's fingertips are less likely to get sliced - and cutting into a steel mesh glove dulls knives excessively.
- A proper fitting glove allows workers to work faster, more consistently and more precisely.
- GLOVETAPE provides subtle support allowing workers to work longer with less fatigue.
- Increased safety and enhanced productivity saves companies money. Serious money.

GLOVETAPE's proprietary material is engineered to work hard - a polyurethane composite that is tear-proof, water and oil repellent, extremely elastic (and reusable), hygienic and food safe.

GLOVETAPE has all mandatory industry certificates approved according to European Union Law.

Hundreds of Thousands of workers around the world use GLOVETAPE daily!





LADIES



EPA



No Marking Sole



Shield System



Hugging System



No Stitching/Caging System



Memory Foam



Shock absorbent heels



Oil and hydrocarbon resistant sole



Antistatic footwear



Heat resistant sole



Composite or steel midsole



Breathable upper



Water-repellent upper



Composite or steel toe cap



Insulation from cold

INTERNATIONAL PRECISION PRODUCTS, LLC
Post Office Box 181260
Corpus Christi, TX 78480

www.internationalprecisionproducts.com
and
www.IPrePro.com

Toll Free: 1-844-456-8387 (1-844-GLOVETP)
Main: 1-361-239-0945
Fax: 1-361-353-4175

email: info@IPrePro.com